




WHAT DO WE KNOW ABOUT NIGHTS? Fewer resources despite focus on continuity of care RESEARCH TELLS US: No statistical difference in ICU mortality according to time of day (21.4% daytime mortality, 20.8% nighttime) (Cavallazzi R,et al, 2010) Staffing at nights - skill mix and experience should be focus (Mourad M, 2011) A richer skill mix and years of nursing experience = Lower mortality rates Decreased # of infections, falls, HAPU, and medication errors


(Patrician, PA, et al, 2011)



















































5

KEYS TO SUCCESS

- **■**Diversity
- ■Engage Key Leadership
- ■Formalize Structure-Process-Outcome
- ■Remove the Snooze!



PRESENTER CONTACT INFORMATION

- Marnie Dodson: <u>mdodson@virginiahospitalcenter.com</u>
- Charity Storm: cstorm@virginiahospitalcenter.com
- $\blacksquare \ Sharon \ Williams: \underline{swilliams@virginiahospitalcenter.com}$



REFRENCES

Cavallazzi R, Marik PE, Hirani A, Pachinburavan M, Vasu TS, LeibyBE. Association between time of admission to the ICU and mortality: asystematic review and metaanalysis. Chest. 2010;138(1):68-75.

Mourad M, Adler J. Safe, High Quality Care Around the Clock: What will it Take to Get us There? J Gen Intern Med. 2011 Sep;26(9):948-50

Patrician PA, Loan L, McCarthy M, et al. The association of shift-level nurse staffing with adverse patient events. J Nurs Adm. 2011;41 (2):64–70.